

## **SCC Ambulatory Areas**

### **Blood ordering and requesting**

#### **Lab**

Provider orders and T & S and confirmation ABO (if needed). These are 2 separate orders

Each blood bank preparing blood requires a confirmation ABO and recent T&S

T&S must be ordered by the provider to go to the blood bank that will be preparing blood

If confirmation ABO is needed it must be drawn at a different time than the T&S and needs appropriate label for each tube with different times.

Same line can be used for draw (for example if pt has port) but must be different times with proper patient identification done each time

Nursing is not able to print labels until order in by provider.

All tubes going to blood bank must be initialed, dated, and timed by nurse/phleb.

UH Lake starting on WellSky program with EPIC transition which will be same as rest of UH

All patients that previously received blood at Lake West or Tripoint will need new confirmation ABOs and T&S after Sept 30th

SCC Mentor will begin blood product transfusion on site. Blood products will come from Lake West blood bank.

## Requesting Blood

Blood products to be infused for a future day in an ambulatory SCC infusion center will need to be released the day before the patient is scheduled for the transfusion.


A fax with the patient(s) and product(s) needed will be sent to appropriate blood bank the day before.

Locations that are off site from a blood bank will notify Bonnie Speed there is a blood pick up/delivery for the next day


**For instructions on releasing blood orders from Therapy plans see “Outpatient Blood Administration in Therapy Plans”**

## One Time Blood Order Release

Select the patient on the infusion encounter on the day they will be in the infusion center for the transfusion. The Pre-charting tab will open and then select start the visit



Then go to Treatment tab, then sign and held orders



Release orders box will open. Select and release.

Release Orders ✕

Sort by: Phase of Care Next Refresh

**Transfusion Products and Meds** (3 orders) ↑

<input checked="" type="checkbox"/> General OP Future Adult Blood Administration	Ordered at: 9/1/23 1056 Reason for holding: RN Will Release Ordered by: Ayumi Tabata, MD	
<input checked="" type="checkbox"/> General		
<input checked="" type="checkbox"/> Nursing communication: Transfusion Reaction Management	Until discontinued, Starting on Fri 9/1/23 at 1055, Until Specified For Suspected Transfusion Reaction: 1) Stop transfusion. Keep IV line open with normal saline. 2) Complete transfusion reaction form. 3) Notify blood bank of reaction. 4) Draw blood for STAT hemoglobin, haptoglobin, LDH, indirect bilirubin and send to blood bank with blood products and collect clean urine specimen 5) Contact ordering physician., Transfusion Products and Meds	New <a href="#">🔗</a>
<input checked="" type="checkbox"/> Transfusion Orders		
<input checked="" type="checkbox"/> Prepare RBC: 1 Units	Routine, Prepare 1 Units Transfusion Products and Meds	New <a href="#">🔗</a>
<input checked="" type="checkbox"/> And		
<input checked="" type="checkbox"/> Transfuse RBC: 1 Units	Routine, Transfuse 1 Units Transfusion Products and Meds	New <a href="#">🔗</a>

[Select All Transfusion Products and Meds](#) Release